



BrainDumps  
Collection

# Eccouncil

312-39 Exam

Certified SOC Analyst

Thank you for Downloading 312-39 exam PDF Demo

You can also try our 312-39 practice exam software

**Download Free Demo**

<https://www.braindumpscollection.com/312-39.html>

DEMO  
VERSION

(LIMITED CONTENT)

Questions  
& Answers

# Version: 5.0

---

**Question: 1**

---

Bonney's system has been compromised by a gruesome malware.

What is the primary step that is advisable to Bonney in order to contain the malware incident from spreading?

- A. Complaint to police in a formal way regarding the incident
- B. Turn off the infected machine
- C. Leave it to the network administrators to handle
- D. Call the legal department in the organization and inform about the incident

---

**Answer: B**

---

Explanation:

---

**Question: 2**

---

According to the forensics investigation process, what is the next step carried out right after collecting the evidence?

- A. Create a Chain of Custody Document
- B. Send it to the nearby police station
- C. Set a Forensic lab
- D. Call Organizational Disciplinary Team

---

**Answer: A**

---

Explanation:

---

**Question: 3**

---

Which one of the following is the correct flow for Setting Up a Computer Forensics Lab?

- A. Planning and budgeting → Physical location and structural design considerations → Work area considerations → Human resource considerations → Physical security recommendations → Forensics lab licensing
- B. Planning and budgeting → Physical location and structural design considerations → Forensics lab licensing → Human resource considerations → Work area considerations → Physical security recommendations
- C. Planning and budgeting → Forensics lab licensing → Physical location and structural design

considerations → Work area considerations → Physical security recommendations → Human resource considerations

D. Planning and budgeting → Physical location and structural design considerations → Forensics lab licensing → Work area considerations → Human resource considerations → Physical security recommendations

---

**Answer: A**

---

Explanation:

Reference: <https://info-savvy.com/setting-up-a-computer-forensics-lab/>

---

### Question: 4

---

Which of the following directory will contain logs related to printer access?

- A. /var/log/cups/Printer\_log file
- B. /var/log/cups/access\_log file
- C. /var/log/cups/accesslog file
- D. /var/log/cups/Printeraccess\_log file

---

**Answer: B**

---

Explanation:

### Mac Log Files



Log file	Location	Description
crashreporter.log	/var/log/crashreporter.log	Application usage history and application crash information written to this file
access_log	/var/log/cups/access_log	Printer access log information
error_log	/var/log/cups/error_log	Printer connection information and its error logs found here
daily.out	/var/log/daily.out	Network Interface History
log.nmbd	/var/log/samba/log.nmbd	Samba (Windows-based machine) connection information
Logs	~/Library/Logs	Home directory users and application-specific logs can found here
DiscRecording.log	~/Library/Logs/DiscRecording.log	Home users' CD & DVD media burning logs written to this file
DiskUtility.log	~/Library/Logs/DiskUtility.log	This file contains hard disk partitioning logs, CD/DVD burned media logs, ISO/DMG images files mount, unmount history, and file permission repair history
iChatConnectionErrors	/Library/Logs/iChatConnectionErrors	Log history of iChat connection attempts. Data such as username, IP address, and Date & Time of the attempt
Sync	/Library/Logs/Sync	This log file gives information on synchronized Mac systems and mobile devices such as cell phones and iPods, and their activities with date and time

---

### Question: 5

---

Which of the following command is used to enable logging in iptables?

- A. \$ iptables -B INPUT -j LOG
- B. \$ iptables -A OUTPUT -j LOG
- C. \$ iptables -A INPUT -j LOG
- D. \$ iptables -B OUTPUT -j LOG

---

**Answer: C**

---

Explanation:

**To enable logging in iptables, below command is used:**

```
$ iptables -A INPUT -j LOG
```

In the above command, you can define the source IP or range in the following manner:

```
$ iptables -A INPUT -s 192.168.10.0/24 -j LOG
```

You can also define the level of LOG to generate specific level of logs:

```
$ iptables -A INPUT -s 192.168.10.0/24 -j LOG --log-level 4
```

You can also add some prefix to search the specific logs in the large file:

```
$ iptables -A INPUT -s 192.168.10.0/24 -j LOG --log-prefix '** SUSPECT  
**'
```

## Thank You for trying 312-39 PDF Demo

To try our 312-39 practice exam software visit link below

<https://www.braindumpscollection.com/312-39.html>

## Start Your 312-39 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your 312-39 preparation with actual exam questions.