



BrainDumps
Collection

Avaya

7693X Exam

Avaya Pod Fx™ Solution Support Exam

Thank you for Downloading 7693X exam PDF Demo

You can also try our 7693X practice exam software

Download Free Demo

<https://www.braindumpscollection.com/7693X.html>

DEMO
VERSION

(LIMITED CONTENT)

Questions
& Answers

Version: 8.0

Question: 1

You notice that the VPFM discovery stops at the Base 500 devices after the installation of an incremental license of 2000 devices on top of the VPFM base license.

Which action would you take first?

- A. Restart System Manager.
- B. Confirm 'default.lic' file exists.
- C. Restart the VPFM VM.
- D. Reinstall license.

Answer: C

Question: 2

Which process is used to determine the current version of software running on the Pod Fx CM installation?

- A. Browser and connect to vSphere
- B. SSH and `swversion` command
- C. Telnet and `swversion` command
- D. VNC and connect to MSC

Answer: A

Question: 3

When performing a BIOS or Firmware upgrade on physical host servers, why is it important to have vSphere access?

- A. The server must be placed in maintenance mode during the upgrade.
- B. VMs must be shut down during the process.
- C. vSphere is needed to shut down the physical server.
- D. The VMs must be restarted during the upgrade process.

Answer: D

Question: 4

You are receiving High Availability warnings in the vSphere client.
To resolve the issue, what should you try first?

- A. Stop and restart VMs.
- B. EnsureStorage Array is reachable from VSP.
- C. In the cluster, check cabling between server and storage array.
- D. Right-click each Host in the cluster and select Reconfigure for HA.

Answer: B

Question: 5

When attempting to access the Pod Orchestration Suite (POS), you want to avoid receiving error messages reporting that the Fully Qualified Domain Name (FQDN) is either not responding, or is unreachable.

Which restriction to the FQDN must be followed?

- A. You can have no more than 35 characters.
- B. You must have a .COM or .NET extension.
- C. You must access POS via the IP address only.
- D. You must begin with the letters P-O-D.

Answer: A

Question: 6

While attempting to perform an upgrade using PUM, you receive a File Not Found error message. What is the cause of this problem?

- A. The spelling and/or case are incorrect.
- B. PUM is unable to contact the device you are trying to upgrade.
- C. The files are not found in the right location.
- D. The file is not the correct version for the destination device.

Answer: B

Question: 7

When booting up the EMC Storage Array, how long should you expect the boot up procedure to take?

- A. 10 minutes
- B. 5 minutes
- C. 20 minutes
- D. 30 minutes

Answer: B

Thank You for trying 7693X PDF Demo

To try our 7693X practice exam software visit link below

<https://www.braindumpscollection.com/7693X.html>

Start Your 7693X Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your 7693X preparation with actual exam questions.