



BrainDumps
Collection

Adobe

9A0-389 Exam

Adobe Campaign Developer

Thank you for Downloading 9A0-389 exam PDF Demo

You can also try our 9A0-389 practice exam software

[Download Free Demo](#)

<https://www.braindumpscollection.com/9A0-389.html>

DEMO
VERSION (LIMITED CONTENT)

Questions
& Answers

Version: 8.0

Question: 1

How can you give access to a view without giving access to its source folder?

- A. Provide only read access to the specific parent node.
- B. Do not give read access on the parent node of the source folder.
- C. Set the "Restrict to information found in sub-folders of" tab to the specific view.
- D. The user must be able to access the source folder to access a view.

Answer: B

Question: 2

The following XML expression checks for the existence of a first name and will raise an error if the first name field is empty.

```
<leave>
  <check expr="@firstName!=' '>
    <error>Please enter a first name!</error>
  </check>
</leave>
```

Where should this expression be located?

- A. Inside the <form> element of a form only
- B. Inside the master container element within the form
- C. Inside the main table element of the data schema.
- D. Inside an external JavaScript file which is linked to from within a form container.

Answer: C

Question: 3

In order to restrict the choice of target elements in an input form a sysfilter was added via the link definition:

```
1 <input xpath="mainContact">
2   <!-- Filter the selection of the link on the adobe.com domain -->
3     <sysFilter>
4       ...
5     </sysFilter>
6 </input>
```

What is missing in line 4?

- A. <element expr="@domain = 'adobe.com'"/>
- B. <condition expr="@domain = 'adobe.com'"/>
- C. <element xpath="@domain = 'adobe.com'"/>
- D. <condition xpath="@domain = 'adobe.com'"/>

Answer: B

Question: 4


There are two distinct recipient folders for France and Germany. There are two operator groups for France and Germany that are assigned to each respective folder. A new regional manager joins the company and needs to be able to see both German and French recipients. How should you setup the rights of that user?

- A. Assign the new operator to the Administrator group.
- B. Assign the new operator to both French and German folders.
- C. Assign the new operator to both French operator and the German operator group.
- D. Assign the new operator to a new operator that has rights on both folders.

Answer: A

Question: 5

What is the most problematic issue about the workflow shown below?



- A. The end activity will cause all records in the context to be removed from memory.
- B. The split might fail causing no deliveries to be sent.
- C. The two deliveries will be sent concurrently causing issues with the MTA.
- D. The query may not have been completed before the scheduler runs again.

Answer: D

Thank You for trying 9A0-389 PDF Demo

To try our 9A0-389 practice exam software visit link below

<https://www.braindumpscollection.com/9A0-389.html>

Start Your 9A0-389 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your 9A0-389 preparation with actual exam questions.