

Salesforce

B2C-COMMERCE-ARCHITECT Exam

Salesforce Certified B2C Commerce Architect

Thank you for Downloading B2C-COMMERCE-ARCHITECT exam PDF Demo

You can also try our B2C-COMMERCE-ARCHITECT practice exam software

Download Free Demo

https://www.braindumpscollection.com/B2C-COMMERCE-ARCHITECT.html

DEMO VERSION (LIMITED CONTENT) Questions & Answers

Version: 5.2

Question:	1

A client has just pushed a new site live to Production. However during smoke testing. It's found that some customers are not seeing the correct pricing on the Product Detail Page.

What three places would the Architect begin to look for the cause of this Issue? Choose 3 answers

- A. Check Log Center
- B. Check the Quota Status page.
- C. Check the Global Preferences to be sure the settings are correct.
- D. Check that there was not an error during replication.
- E. Check that the cache is set correctly

Explanation:

Question: 2

An Architect has been asked by the Business to integrate a new payment LINK cartridge. As part of the integration, the Architect has created four new services to access various endpoints in the integration.

How can the Architect move the new services to Production when the integration is ready for launch?

- A. The new services will be moved to Production with a Data Replication.
- B. The new services will be moved to production with a Site Import.
- C. The new services must be manually exported from staging and Imported into Production.
- D. The new services will be moved to Production with a Code Replication.

	Answer: C
Explanation:	
Question: 3	

The Client is Crowing and decided to migrate its ecommerce website to B2C Commerce. The Client provided the Architect with the f metrics for its existing website over the past 12 months and

forecasted into the next year:

Average visits per hour 1000
Peak visits per hour 10000
Average page views per hour 10000
Peak page views per hour 20000
Average orders per hour 100
Peak orders per hour 250
Average items per order 2.1
Average order value 300 USD
Expected growth percentage 300

Noting these historical metrics and the forecasted growth of 300%, which load test targets meet best practices for testing the new B2C Commerce site?

- A. 15000 visits per hour, 300000 page views per hour, and 3750 orders per hour
- B. 150000 visits per hour, 3000000 page views per hour, and 37500 orders per hour
- C. 1500 visits per hour, 30000 page views per hour, and 375 orders per hour
- D. 3000 visits per hour, 60000 page views per hour, and 750 orders per hour

D. 3000 visits per flour, 00000 page views per flour, and 730 orders per	iloui
	Answer: C
Explanation:	

Question: 4

The development team is building a complex LINK cartridge for a hosted checkout solution. The provider s database is used as a single source of truth, but the information in the Basket on B2C Commerce side needs to be synchronized. This is implemented asynchronously the back end when the customers interact will the hosted checkout page and change their shipping/biding details.

As an Architect you have to advise the development team with how to implement the logging to ensure that there will be a mechanism available to allow troubleshooting in the case something goes wrong on production.

Which solution should the Architect suggest?

- A. Report info level message for the back-end asynchronous communication between both systems Report all errors at error level message.
- B. Report debug level message for the back-end asynchronous communication between both systems. Report al errors at error-level message.
- C. Get logger for cartridge specific category. Report debug level message for the back end asynchronous communication between both systems. Report all errors at error level message.
- D. Get logger for cartridge-specific category. Report Info level message for the back-end asynchronous communication between both systems. Report all errors at error level message.

	Answer: D
Explanation:	
Question: 5	

During code review, the Architect found that there is a service call on every visit of the product detail woe (PDP).

What best practices should the Architect ensure are followed for the service configuration? Choose 2 answers

- A. Circuit breaker is enabled.
- B. Service timeout is set.
- C. Service mock up call is configured.
- D. Service logging is disabled.

Answer: A, B

Thank You for trying B2C-COMMERCE-ARCHITECT PDF Demo

To try our B2C-COMMERCE-ARCHITECT practice exam software visit link below

https://www.braindumpscollection.com/B2C-COMMERCE-ARCHITECT.html

Start Your B2C-COMMERCE-ARCHITECT Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your B2C-COMMERCE-ARCHITECT preparation with actual exam questions.