

IBM

C1000-002 Exam

IBM MQ V9.0 System Administration

Thank you for Downloading C1000-002 exam PDF Demo

You can also try our C1000-002 practice exam software

Download Free Demo

https://www.braindumpscollection.com/C1000-002.html



Questions & Answers

Version: 8.0

Question: 1	
After completing an IBM MQ for z/OS installation and customization installation be verified?	on, how can a successful
 A. Review the z/OS MQ SMF records. B. Run the command runmqsc -installation_verify. C. Put a test message on a newly created z/OS queue. D. Use the MQ for z/OS installation verification programs (IVPs). 	
	Answer: D
Question: 2	
For MQ Advanced for distributed platforms, which two components are in	icluded? (Select two.)
A. MQ Appliance B. Managed File Transfer C. MessageSight D. IBM MQ Internet Pass-Thru E. Advanced Message Security	
	Answer: B,E
Question: 3	
An administrator is asked to forward all messages to queue 'TEST.TEMP' is 'TEST.LOCAL' end up on the dead letter queue. Which rule in the dead letter handler rules table will enable the admobjective?	-
A. REASON(MQRC_Q_FULL) ACTION(FWD) FWDQ(&DESTQ) HEADER(NO) B. REASON(*) ACTION(FWD) FWDQ('TEST.TEMP') HEADER(NO) DESTQ('TE C. REASON(*) ACTION(RETRY) FWDQ('TEST.LOCAL') HEADER(NO) INPUTQ D. REASON(MQRC_Q_FULL) ACTION(IGNORE) FWDQ('TEST.LOCAL')	('TEST.TEMP')
	Answer: A
Question: 4	

What is the purpose of the –s secretText parameter used in the prepareha and crthagrp commands on MQ Appliance?

- A. To be used as the unique key for the appliances.
- B. To be used to decide. In secret, which appliance will be the preferred appliance.
- C. To generate a short-lived password used to create two keys, one for each appliance.
- D. To generate a short-lived password used to set up on unique key for the appliances.

	Answer: A
Question: 5	
Which channel may be configured with a channel auto-definition exit?	
A. Sender Channel	
B. Receiver Channel	
C. Requester Channel	
D. Client-Connection Channel	
	Answer: A
Question: 6	

An administrator has been asked to make changes to MQ config so that the MQ client application APP_A connecting to queue manager QM1 can reconnect automatically without re-starting the applications.

What does the administrator need to configure to achieve this?

- A. Alter QMGR and set the attribute RECONN(YES)
- B. Alter SVRCONN channel and set attribute AUTOCONN(TRUE)
- C. Configure DefRecon attribute of CHANNELS stanza in mqclient.ini
- D. Configure AutoConnect attribute of CHANNELS stanza in mqclient.ini

Answer: C

Thank You for trying C1000-002 PDF Demo

To try our C1000-002 practice exam software visit link below

https://www.braindumpscollection.com/C1000-002.html

Start Your C1000-002 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your C1000-002 preparation with actual exam questions.