



**BrainDumps
Collection**

IBM

C8010-725 Exam

IBM WebSphere Commerce V7 (FEP 7) Application Development

Thank you for Downloading C8010-725 exam PDF Demo

You can also try our C8010-725 practice exam software

Download Free Demo

<https://www.braindumpscollection.com/C8010-725.html>

**DEMO
VERSION**

(LIMITED CONTENT)

**Questions
& Answers**

Version: 7.0

Question: 1

A developer is asked to remove the "No Inventory" option that appears in the Store Publish Wizard when publishing ExtendedSitesV2.sar.

Which file should be modified in ExtendedSitesV2.sar before publishing?

- A. ibm-wc-load.xml
- B. Store-refs.xml
- C. MemberRegistrationAttributes.xml
- D. ForeignKeys.dtd

Answer: D

Explanation:

Reference:

<http://ww2.ibmwcs.com/?folio=7POYGN0G2>

Question: 2

A developer runs the foundation feature enablement script.

What should the developer do to ensure the script completed successfully?

- A. Check enableFeature.log for errors related to feature enablement
- B. Check enableWCfoundationFeature.log for errors related to feature enablement
- C. Check systemOut.log for errors related to feature enablement
- D. Check admin console for the status of available features

Answer: A

Explanation:

Reference:

http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.component-services.doc/tasks/twvenablefoundation_fep7.htm

Question: 3

Which of the following statements about installing IBM WebSphere Commerce Developer V7.0 is true?

- A. Ensure that any locale-related environment variables on the system are set to any one of the following: pt_BR, en_US, fr_FR, de_DE, it_IT, ja_JP, ko_KR, pl_PL, ro_RO, ru_RU, zh_CN, es_ES, zh_TW, en_GB
- B. The system can run on any of the following Operating Systems: Windows, AIX, Solaris, Linux. IBM i

Series, HP-UX

C.The system can run any of the following database servers: DB2, Oracle, Apache Derby

D.The system must have a pre-configured web server

Answer: C

Explanation:

Reference:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSZH4A_6.2.0/com.ibm.worklight.installconfig.doc/devref/r_ant_tasks_configure_dbs_wlconsole.html)

[01.ibm.com/support/knowledgecenter/SSZH4A_6.2.0/com.ibm.worklight.installconfig.doc/devref/r_ant_tasks_configure_dbs_wlconsole.html](http://www-01.ibm.com/support/knowledgecenter/SSZH4A_6.2.0/com.ibm.worklight.installconfig.doc/devref/r_ant_tasks_configure_dbs_wlconsole.html)

Question: 4

When a fix pack installation fails, an application developer receives a message similar to the following:

```
(May 10, 2011 1:33:31 PM), Install,
com.ibm.ws.install.ni.ismp.actions.InstallNIFMaintenance, err, mkdirs failed
for: file:/C:/IBM/WCDE_ENT70/migration/xml/features/BASE/app/561
Caused by:
com.ibm.ws.install.ni.framework.fileactions.NIFFileActionIOException: The file
migration/xml/features/BASE/app/561/build.xml could not be replaced.
    at com.ibm.ws.install.ni.ismp.utils.ISMPLogUtils.logException
    (ISMPLogUtils.java:46)
    at com.ibm.ws.install.ni.ismp.actions.InstallNIFMaintenance.execute
    (InstallNIFMaintenance.java:102)
    ... 1 more
```

```
(May 10, 2011 1:33:31 PM), Install,
com.ibm.ws.install.ni.ismp.actions.SettleNIFRegistryAction, msg1, Current
install/uninstall process failed.
(May 10, 2011 1:33:31 PM), Install,
com.ibm.ws.install.ni.ismp.actions.SetExitCodeAction, msg1, CWUPI0000I:
EXITCODE=1
(May 10, 2011 1:33:31 PM), Install,
com.ibm.ws.install.ni.ismp.actions.ISMPLogFileAction, msg1, For more
information on installing components, see the following trace file:
C:/IBM/WCDE_ENT70/logs/update\7.0.0-WS-WCDeveloperEnterprise-
FP003.install\update\trace.log.gz
(May 10, 2011 1:33:32 PM), Install,
com.ibm.ws.install.ni.ismp.actions.ISMPLogFileAction, msg1, For more
information on running configuration commands, see the following trace file:
C:/IBM/WCDE_ENT70/logs/update\7.0.0-WS-WCDeveloperEnterprise-
FP003.install\update\config.log.gz
(May 10, 2011 1:33:32 PM), Install,
com.ibm.ws.install.ni.ismp.actions.ISMPLogSuccessMessageAction, msg1,
INSTCONFFAILED
```

Which of the following steps will assist in resolving this issue?

A. Shutdown indexing services

B.Unlock the WASServiceMsg.dll file locked by the Microsoft Windows operating system so that it

can be updated
C.C. Use the process explorer utility
D.Use the tasklist utility

Answer: B

Question: 5

Which two of the following statements about the IBM WebSphere Commerce Developer installation process are true?

- A. Installation can be performed without administrator privileges
- B.WebSphere Application Server binaries are required as a part of WebSphere Commerce Developer installation
- C.WebSphere Commerce Developer V7 is available for Windows. Linux and AIX
- D.Custom assets always have to be redeployed after Fix Pack or Feature pack installations
- E.Fix Packs and Feature Packs are installed as a separate endeavor from the WebSphere Commerce V7 base product

Answer: C

Explanation:

Reference:

<http://www-01.ibm.com/support/docview.wss?uid=swg24034686>

Question: 6

A developer runs the script to enable IBM Management Center for WebSphere Commerce.
Which of the following is true about this operation?

- A. The SITE table will be updated with the feature which was enabled
- B.It automatically enables Store Enhancement feature
- C.Additional feature dependencies will also need to be enabled
- D.The Database schema will be unaffected, but data will be mass-loaded into the tables

Answer: B

Explanation:

Reference:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.starterstores.doc/tasks/tsmenablestoreenh.htm)

[01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.starterstores.doc/tasks/tsmenablestoreenh.htm](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.starterstores.doc/tasks/tsmenablestoreenh.htm)

Question: 7

IBM WebSphere Commerce V7.0 is running on the production server. The requirement is to update

the inventory levels for a batch of products that have been on sale for a while.

Which of the following is the correct code snippet that should be specified in the data load order configuration file?

- ☐ A. `<_config:LoadOrder commitCount="1" batchSize="1" dataLoadMode="Replace" >`
- ☐ B. `<_config:LoadOrder commitCount="1" batchSize="1" dataLoadMode="Insert" >`
- ☐ C. `<_config:LoadOrder commitCount="1" batchSize="100" dataLoadMode="Replace" >`
- ☐ D. `<_config:LoadOrder commitCount="1" batchSize="100" dataLoadMode="Insert" >`

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: D

Question: 8

A developer has created a new custom table that needs to be staged to production. Which of the following activities needs to be performed in order to achieve this goal?

- A. Add the custom table entry to the STAGLOG table, and create database triggers to record the changes in the custom table to the STG tables (STGMERTAB, STGSITETAB or STGMRSTTAB)
- B. Add the custom table entry to the STG tables (STGMERTAB, STGSITETAB or STGMRSTTAB) as needed, and create database triggers to record the changes in the custom table to the STAGLOG table
- C. Modify stagingprop utility to add custom tables for stage propagation
- D. Add the custom table entry to wc-stageprop.xml

Answer: D

Question: 9

An application developer has been given the catalog business data for a new home appliance category, which needs to be uploaded using the data load utility.

Which of the following tasks should the developer perform in working with the data load utility?

- A. Set the data load environment settings file in the business object configuration file
- B. Specify the data reader as "CSVReader" in the load order configuration file
- C. Set the data load mode as "Insert" in the load order configuration file
- D. Specify the data source input file as "Layout.csv" in the business object configuration file

Answer: B

Explanation:

Reference:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.data.doc/tutorial/tmloadcustomizedataloadencrypt2.htm)

[01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.data.doc/tutorial/tmloadcustomizedataloadencrypt2.htm](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.data.doc/tutorial/tmloadcustomizedataloadencrypt2.htm)

Question: 10

When setting up a build a process using IBM WebSphere Commerce Build and Deploy, an application developer needs to store sensitive information, such as email server usernames and passwords. Which of the following is the most appropriate location to place these properties?

- A. WCBD_installdir/wcbd/wcbd-encode-properties
- B. WCBD_installdir/wcbd/wcbd-build.properties
- C. WCBD_installdir/wcbd/wcbd-build.private.properties
- D. WCBD_installdir/wcbd/wcbd-build-secure.properties

Answer: A

Explanation:

Reference:

[http://www-](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.developer.doc/refs/rdewcbbldprop.htm)

[01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.developer.doc/refs/rdewcbbldprop.htm](http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.developer.doc/refs/rdewcbbldprop.htm)

Question: 11

An application developer uses the stagingprop utility to propagate staged data and managed files from the production-ready data to the production server. The value specified for-consolidationSize is "x" in a staged table

- A. whose total number of unprocessed records in the STAGLOG table is "z". The developer does NOT set the -scope to _all_.

Which of the following conditions must be met if A's entire set of unprocessed records in the STAGLOG table is fetched once?

- A. $z \leq x$
- B. $z > x$
- C. Filter option must be used
- D. Parameter "n" must be used with the -transaction option

Answer: D

Question: 12

Enabling e-mail notification in workspaces allows emails to be sent automatically when the state of a task changes.

Which of the following will enable email notifications for workspaces?

- ☐ A. Select the "activateWorkspaceEmail" option when creating workspaces
- ☐ B. Modify WC_eardir\xml\config\wc-workspace.xml with the following:

```
<ActivateTaskEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />  
<RejectTaskEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />  
<ApproveTaskGroupEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />
```
- ☐ C. Execute WC_installdir\bin\enableWorkSpaceEmails.bat
- ☐ D. Modify WC_eardir\xml\config\wc-server.xml with the following:

```
<ActivateTaskEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />  
<RejectTaskEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />  
<ApproveTaskGroupEmail isEmailEnabled="true" from="" cc="" bcc=""  
language="en_US" />
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Answer: C

Question: 13

Which two persistence mechanisms are currently used in IBM WebSphere Commerce?

- A. TopLink
- B. Enterprise JavaBeans
- C. Data Services Layer
- D. Hibernate
- E. Castor

Answer: B, D

Explanation:

Reference:

http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.developer.doc/concepts/csdruntime.htm

Question: 14

An application developer needs to expand the shopping cart data, by persisting more data than the commerce shopping cart ORDERS, ORDERITEMS tables permit. Considering performance and code maintenance tradeoff, which approach should be used to achieve this?

- A. Create a new custom table and create an entity bean to map to this table.
- B. Modify the existing ORDERS, ORDERITEMS table, and create an entity bean to map to this table.
- C. Create a new custom table and modify the existing IBM WebSphere Commerce public entity bean.
- D. Modify the existing ORDERS, ORDERITEMS table and corresponding IBM WebSphere Commerce public entity bean.

Answer: C

Explanation:

Reference:

http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.developer.doc/concepts/csdextendwithentitybean.htm

Question: 15

An application developer is asked to develop a Web service to retrieve a list of products by inventory level. There is no specific requirements as to the Web Services Definition Language (WSDL) definition for this Web service.

Which is the quickest way to accomplish this?

- A. Expose the Inventory module's FindProductsByInventory command as a Web service.
- B. Add an Inventory field to the CATENTRY table, map this to the existing CatalogNavigationNoun, and reuse the Web services mapping for that noun
- C. Create a new Controller Command that uses existing Enterprise JavaBeans (EJB) finders to locate and populate the results, and then expose this through the Web services layer.
- D. Define a new Extended XPath expression and map this to a SQL in a Query Template File.

Answer: D

Explanation:

Reference:

http://www-01.ibm.com/support/knowledgecenter/SSZLC2_7.0.0/com.ibm.commerce.component-services.doc/refs/rwvxpath.htm

Thank You for trying C8010-725 PDF Demo

To try our C8010-725 practice exam software visit link below

<https://www.braindumpscollection.com/C8010-725.html>

Start Your C8010-725 Preparation

Use Coupon “20OFF” for extra 20% discount on the purchase of Practice Test Software. Test your C8010-725 preparation with actual exam questions.