



BrainDumps  
Collection

# ServiceNow

## CIS-DISCOVERY Exam

Certified Implementation Specialist - Discovery

Thank you for Downloading CIS-DISCOVERY exam PDF Demo

You can also try our CIS-DISCOVERY practice exam software

**Download Free Demo**

<https://www.braindumpscollection.com/CIS-DISCOVERY.html>

DEMO  
VERSION

(LIMITED CONTENT)

Questions  
& Answers

## Version: 5.0

---

### Question: 1

---

Based on this image, which of the following statements are true? (Choose three.)

The screenshot shows a configuration interface for a 'Merge Table' operation. The 'Operation' dropdown is set to 'Merge Table'. Below it, three tables are listed: 'First Table' is '\$name\_details', 'Second Table' is '\$more\_process\_info', and 'Target Table' is '\$cmdb\_ci\_web\_server'. Under 'Merge Criteria', the dropdown is set to 'Condition'. The 'Meet' dropdown is set to 'Any', and the 'Following condition' is '\$process.executablePath' 'Contains' '"mongoose"'. The 'Unmatched Values' dropdown is set to 'Remove'.

Operation	Merge Table
* First Table	\$name_details
* Second Table	\$more_process_info
* Target Table	\$cmdb_ci_web_server
Merge Criteria	Condition
Meet	Any
Following condition	\$process.executablePath Contains "mongoose"
Unmatched Values	Remove

- A. Attributes from two tables populate a table with the same name as a ServiceNow CMDB table.
- B. This operation is more than likely a part of a step on a pattern set to Application Pattern Type.
- C. If a value is unmatched, it is still merged into the Target Table.
- D. For this operation to run, there must be some data in the process.executablePath variable.
- E. This is a horizontal pattern of type "infrastructure."

---

**Answer: BDE**

---

---

### Question: 2

---

Based on the following images, which choice best describes what occurs if Discovery sets the name attribute of a discovered Windows Server CI to 'Windows1' and then Altiris discovery runs detecting 'Windows2' for the name attribute on the same CI?

**Reconciliation Definitions** New Search for text Search

1 to 3 of 3

		Data Source	Applies to	Attributes	Active
<input type="checkbox"/>	<a href="#">Altiris</a>	Windows Server [cmdb_ci_win_server]	name	true	
<input type="checkbox"/>	<a href="#">OpenView</a>	Windows Server [cmdb_ci_win_server]	name	true	
<input type="checkbox"/>	<a href="#">ServiceNow</a>	Windows Server [cmdb_ci_win_server]	name	true	

**Data Source Precedentes** New Go to Order Search

1 to 3 of 3

		Applies to	Data Source	Order	Active
<input type="checkbox"/>	[cmdb_ci_win_server]	ServiceNow	100	true	
<input type="checkbox"/>	[cmdb_ci_win_server]	OpenView	200	true	
<input type="checkbox"/>	[cmdb_ci_win_server]	Altiris	300	true	

- A. The name of the CI stays 'Windows1'.
- B. The name of the CI changes to 'Windows2'.
- C. The name of the CI does not populate with either discovery.
- D. The CI is not discovered because Discovery is not listed in either image.

---

**Answer: B**

---

### Question: 3

For the Parse Variable pattern operation, what is required to have two different parsing methods to populate

variables?

- A. Two different Debug Mode sessions.
- B. A tabular and a scalar variable.
- C. Two different steps.
- D. Two different Define Parsing selections on the same step.

---

**Answer: D**

---

Explanation:

Reference: [https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/t\\_RegularExpParsStratPatDef.html](https://docs.servicenow.com/bundle/paris-it-operations-management/page/product/service-mapping/task/t_RegularExpParsStratPatDef.html)

---

**Question: 4**

---

Which best describes Discovery schedule of type Configuration Item?

- A. Verifies Configuration Item data from the scanned IP ranges against the data in the CMDB.
- B. Creates only a list of discovered IPs in both IPv4 and IPv6 formats.
- C. Collects complete information from the scanned IP ranges and sends it to the CMDB.
- D. Directly populates records in the assets table.

---

**Answer: D**

---

---

**Question: 5**

---

When installing a MID Server on a Windows platform, which right must be associated when creating a Service Account?

- A. Local Admin
- B. Domain Admin
- C. MID Server User Role
- D. Log on as service

---

**Answer: A**

---

Explanation:

Reference: [https://docs.servicenow.com/bundle/orlando-servicenow-platform/page/product/mid-server/task/t\\_InstallAMIDServerOnWindows.html](https://docs.servicenow.com/bundle/orlando-servicenow-platform/page/product/mid-server/task/t_InstallAMIDServerOnWindows.html)

**Thank You for trying CIS-DISCOVERY PDF Demo**

To try our CIS-DISCOVERY practice exam software visit link below

<https://www.braindumpscollection.com/CIS-DISCOVERY.html>

## Start Your CIS-DISCOVERY Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your CIS-DISCOVERY preparation with actual exam questions.