



# SAP

## C\_HANAIMP\_16 Exam

SAP Certified Technology Associate - SAP HANA 2.0 SPS04 Exam

Thank you for Downloading C\_HANAIMP\_16 exam PDF Demo

You can also try our C\_HANAIMP\_16 practice exam software

[Download Free Demo](#)

[https://www.braindumpscollection.com/C\\_HANAIMP\\_16.html](https://www.braindumpscollection.com/C_HANAIMP_16.html)

DEMO  
VERSION (LIMITED CONTENT)

Questions  
& Answers

# Version: 4.0

---

## Question: 1

---

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view. Which function of SAP WebIDE for SAP HANA do you use to check where the output columns originate from?

- A. Show lineage
- B. Database Explorer
- C. Where used
- D. Auto-map by name

---

**Answer: A**

---

---

## Question: 2

---

When using the CONTAINS predicate, what are the restrictions you must you keep in mind? Note: There are 2 correct answers to this question.

- A. Non-physical columns, such as calculated columns, are not search-relevant.
- B. The NOT (-) operator can only be specified directly after the OR operator.
- C. Wild cards \* and ? are supported for text columns but not string columns.
- D. If several tables are joined, all columns mentioned in the CONTAINS predicate must come from only one of the tables.

---

**Answer: AC**

---

---

## Question: 3

---

What do you use in the definition of a dynamic SQL analytic privilege?

- A. A procedure that returns the data access condition as an SQL expression.
- B. A table function that returns a list of allowed values.
- C. An organization hierarchy that provides role-based access to data.
- D. A scalar function that returns a list of the allowed values for each attribute.

---

**Answer: B**

---

---

## Question: 4

---

Which of the following are usually no longer required in the architecture of SAP S/4HANA?

Note: There are 2 correct answers to this question.

- A. Aggregates
- B. ABAP CDS
- C. Synonyms
- D. Indexes

---

**Answer: C**

---



---

**Question: 5**

---

In SAP Web IDE for SAP HANA, what can a flowgraph generate in a predictive analysis scenario?

Note: There are 2 correct answers to this question.

- A. Function
- B. Container
- C. Procedure
- D. Task

---

**Answer: CD**

---

A calculation view includes a rank node that uses the source data and settings shown in the graphic. Your query requests all columns of the rank node. How many rows are in the output of your query?

**Data Source for Rank Node:**

COUNTRY	DIVISION	COMPANY	AMOUNT
US	X	A	10
US	X	B	12
US	X	C	13
US	P	D	16
US	P	E	14
US	P	F	18
DE	X	B	5
DE	X	C	19
DE	X	D	13
CA	X	A	20
CA	X	B	21
CA	X	D	4
CA	P	E	2

**Rank Node Settings:**

Aggregation Function: **Row**  
Result Set Direction: **Top**  
Result Set Type: **Absolute**  
Target Value: **Fixed (2)**  
Offset: **Fixed (0)**  
  
Partition Columns: **COUNTRY  
DIVISION**

- A. 6
- B. 9
- C. 2
- D. 5

---

**Answer: B**

---

**Thank You for trying C\_HANAIMP\_16 PDF Demo**

To try our C\_HANAIMP\_16 practice exam software visit link below

[https://www.braindumpscollection.com/C\\_HANAIMP\\_16.html](https://www.braindumpscollection.com/C_HANAIMP_16.html)

## Start Your C\_HANAIMP\_16 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your C\_HANAIMP\_16 preparation with actual exam questions.