



BrainDumps
Collection

SAP

C_HANAIMP_18 Exam

Certified Application Associate - SAP HANA 2.0 SPS06

Thank you for Downloading C_HANAIMP_18 exam PDF Demo

You can also try our C_HANAIMP_18 practice exam software

Download Free Demo

https://www.braindumpscollection.com/C_HANAIMP_18.html

DEMO
VERSION

(LIMITED CONTENT)

Questions
& Answers

Version: 4.0

Question: 1

You have made changes to the design-time files of several calculation views in your DEV environment. These calculation views all belong to the same project. Before deploying your calculation views to a PROD environment, which sequence of steps is required in the DEV environment?

- A. Build the project -> Build the HDB module
- B. Export the HDB module -> Export the project
- C. Activate the project -> Build the HDB module
- D. Build the HDB module -> Build the project

Answer: A

Question: 2

You want to join two tables in a calculation view. Why do you use a non-equi join?

- A. Join columns need to be ignored when NOT requested by the query.
- B. Join columns have different data types.
- C. The number of joined columns is different in each table.
- D. The join condition is not represented by matching values.

Answer: D

Question: 3

Your calculation view consumes one data source, which includes the following columns: SALES_ORDER_ID, PRODUCT_ID, QUANTITY and PRICE. In the output, you want to see summarized data by PRODUCT_ID and a calculated column, PRODUCT_TOTAL, with the formula QUANTITY * PRICE. In which type of node do you define the calculation to display the correct result?

- A. Projection
- B. Union
- C. Aggregation
- D. Join

Answer: A

Question: 4

In an XS Advanced project, what is the purpose of the .hdiconfig file?

- A. To specify an external schema in which calculation views will get their data
- B. To specify which HDI plug-ins are available
- C. To specify the namespace rules applicable to the name of database objects
- D. To specify in which space the container should be deployed

Answer: B

Question: 5

You create a table function to remove historic records, sum the current total weekly working hours for each employee, and update the personnel table with the results. The deployment of the table function fails. Which of the following could be a valid reason?

- A. Your function refers to a scalar function.
- B. You did NOT define a valid table type.
- C. You did not define at least one input parameter.
- D. Your function includes a TRUNCATE statement.

Answer: D

Thank You for trying C_HANAIMP_18 PDF Demo

To try our C_HANAIMP_18 practice exam software visit link below

https://www.braindumpscollection.com/C_HANAIMP_18.html

Start Your C_HANAIMP_18 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your C_HANAIMP_18 preparation with actual exam questions.