



**BrainDumps**  
**Collection**

# SAP

## C\_TADM70\_22 Exam

**Certified Technology Associate - OS/DB Migration for SAP  
NetWeaver 7.52**

Thank you for Downloading C\_TADM70\_22 exam PDF Demo

You can also try our C\_TADM70\_22 practice exam software

**Download Free Demo**

[https://www.braindumpscollection.com/C\\_TADM70\\_22.html](https://www.braindumpscollection.com/C_TADM70_22.html)

**DEMO**  
**VERSION**

(LIMITED CONTENT)

**Questions  
& Answers**

# Version: 4.1

---

**Question: 1**

---

Identify the activities involved in SAP OS/DB Migration Check Verification?  
There are 2 correct answers to this question

- A. Analyze the SAP System and database system logs
- B. Analyze the response of multiple component
- C. Analyze the performance in the DB system
- D. Analyze the response times of the critical transactions

---

**Answer: A, D**

---

Explanation:

---

**Question: 2**

---

What are the Typical warning in R3SZCHK.log if reaching the size limit?  
There are 2 correct answers to this question

- A. WARNING: REPOLOAD in SLEXC: initial extent reduced to 1782579201
- B. WARNING: /BLUESKY/FECOND in APPLO: initial extent reduced to 1782579222
- C. WARNING: REPOLOAD in SLEXC: initial extent reduced to 1782579200
- D. WARNING: /BLUESKY/FECOND in APPLO: initial extent reduced to 1782579200

---

**Answer: C, D**

---

Explanation:

---

**Question: 3**

---

Which source does R3LOAD use to populate the TSK files?  
Please choose the correct answer.

- A. Structure files
- B. ABAP data dictionary
- C. Database data dictionary
- D. Extent files

---

**Answer: A**

---

Explanation:

---

**Question: 4**

---

How does R3LOAD handle restart situations based on the task file content?

There are 2 correct answers to this question

- A. If a status is „err" for a create index task, R3LOAD will drop the index and recreate it to restart the import.
- B. If the status is „err" for a data import task, R3LOAD will drop the table to restart the import.
- C. If the status is „err" for a create primary key task, R3LOAD will delete data and recreate the primary key to restart the import.
- D. If the status is „err" for a create table task, R3LOAD will drop and recreate the table to restart the import.

---

**Answer: C, D**

---

Explanation:

---

**Question: 5**

---

Which SAP Migration Tool writes its data in a format that is independent of database and platform?  
Please choose the correct answer.

- A. JLOAD
- B. JSLOAD
- C. JSAPINST
- D. JPKCT

---

**Answer: A**

---

**Thank You for trying C\_TADM70\_22 PDF Demo**

To try our C\_TADM70\_22 practice exam software visit link below

[https://www.braindumpscollection.com/C\\_TADM70\\_22.html](https://www.braindumpscollection.com/C_TADM70_22.html)

## Start Your C\_TADM70\_22 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your C\_TADM70\_22 preparation with actual exam questions.