



BrainDumps
Collection

Extreme Networks

EW0-100 Exam

Extreme Networks Associate

Thank you for Downloading EW0-100 exam PDF Demo

You can also try our EW0-100 practice exam software

[Download Free Demo](#)

<https://www.braindumpscollection.com/EW0-100.html>

DEMO
VERSION (LIMITED CONTENT)

Questions
& Answers

Question: 1

What is the default value for the RIP garbage time setting?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds
- D. 180 seconds

Answer: C

Question: 2

Given router interfaces 10.0.0.1/24, 10.10.10.10/24, 192.168.0.1/24, and 192.168.255.254/24 on a Summit7i switch what will be the OSPF router ID given the following command: config ospf routerid automatic?

- A. 10.0.0.1/24
- B. 10.10.10.10/24
- C. 192.168.0.1/24
- D. 192.168.255.254/24

Answer: D

Question: 3

Which command would you use to configure VLAN corporate with IP address 192.168.0.1/16?

- A. config vlan corporate ipaddress 192.168.0.1/16
- B. config ipaddress corporate vlan 192.168.0.1/16
- C. config ipaddress 192.168.0.1/16 vlan corporate
- D. config ipaddress 192.168.0.1/16 corporate vlan

Answer: A

Question: 4

VLAN aggregation allows multiple sub-VLANs to share a single IP subnet.

- A. True
- B. False

Answer: A

Question: 5

How do you disable Split Horizon?

- A. disable rip splithorizon noadvertise
- B. unconfig rip splithorizon
- C. disable rip splithorizon
- D. unconfig rip splithorizon noadvertise

Answer: C

Question: 6

What is the default value for the RIP garbage-time setting?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds
- D. 180 seconds

Answer: C

Question: 7

Examine the corresponding graphic for this question by clicking on the exhibit button below. Given this display, how would you find information similar to the SHOW SWITCH command?



- A. Click on STATISTICS, then SHOW, then SWITCH.
- B. Click on STATISTICS, then SWITCH, then SHOW.
- C. Click on STATISTICS, then SHOW.
- D. Click on STATISTICS, then SWITCH.

Answer: D

Question: 8

What is the default value for the RIP garbage-time setting?

- A. 30 seconds
- B. 60 seconds

- C. 120 seconds
- D. 180 seconds

Answer: C

Question: 9

Which ExtremeWare feature permits ESRP to increase the number of protected VLANs by placing them under the control of a master VLAN?

- A. ESRP groups
- B. ESRP domains
- C. ESRP host attach
- D. None of these.

Answer: B

Question: 10

STPDs s0, s1, and s2 have been created How would you activate only s1 while leaving the other STPDs inactive?

- A. enable stpd s1
- B. enable s1 stpd
- C. enable stp „³ enable s1 stpd
- D. None of these

Answer: A

Question: 11

SNMP access to ExtremeWare can be limited by the following methods:

- A. Use an access list
- B. Use an access profile
- C. Use the disable snmp access command
- D. None of these

Answer: ABC

Question: 12

Which command would you use to configure VLAN CORPORATE (tag 100) with ports 1:1 through 4:8 tagged and ports 5:1 through 8:8 as untagged?

- A. config vlan corporate ports add 1:1-4:8 tagged „³ config vlan corporate ports add 5:1-8:8 untagged

- B. config vlan corporate add ports 1:1-4:8 tagged „³ config vlan corporate add ports 5:1-8:8 untagged
- C. config corporate vlan add ports 1:1-4:8 tagged „³ config corporate vlan add ports 5:1-8:8 untagged
- D. config corporate vlan ports add 1:1-4:8 tagged „³ config corporate vlan ports add 5:1:8:8 untagged

Answer: B

Question: 13

How would you change the password for John Doe's management account?

- A. Enter config jdoe and then enter the new password twice.
- B. Enter config jdoe user account and then enter the new password twice.
- C. Enter config user account jdoe and then enter the new password twice.
- D. Enter config account jdoe and then enter the new password twice.

Answer: D

Question: 14

What is the minimum ExtremeWare software version that supports the Summit48i?

- A. ExtremeWare 4.x
- B. ExtremeWare 5.x
- C. ExtremeWare 6.x
- D. None of the above

Answer: C

Question: 15

When using Spanning Tree Protocol, ExtremeWare permits VLANs in different STPDs to share the same port when tagged.

- A. True
- B. False

Answer: B

Question: 16

Which of the following routes will be used to forward a frame to 192.168.1.174?

- A. 192.168.1.0/29
- B. 192.168.1.128/30
- C. 192.168.1.128/25
- D. None of these.

Answer: C

Question: 17

What is the default value for the RIP garbage time setting?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds
- D. 180 seconds

Answer: C

Question: 18

In RIP, poison reverse means that:

- A. A route is not advertised to the interface from which it was learned.
- B. A route is advertised as unreachable to the interface from which it was learned.
- C. Traffic whose source interface does not match the routing table is blackholed.
- D. None of these.

Answer: B

Question: 19

RIP version 2 uses a composite metric that includes link speed and delay.

- A. True
- B. False

Answer: B

Question: 20

Unlike VRRP, the Extreme Standby Router Protocol provides redundancy at both the data link and network layers.

- A. True
- B. False

Answer: A

Thank You for trying EW0-100 PDF Demo

To try our EW0-100 practice exam software visit link below

<https://www.braindumpscollection.com/EW0-100.html>

Start Your EW0-100 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your EW0-100 preparation with actual exam questions.