



BrainDumps
Collection

HP

HPE6-A07 Exam

HP Aruba Certified ClearPass Associate Exam

Thank you for Downloading HPE6-A07 exam PDF Demo

You can also try our HPE6-A07 practice exam software

Download Free Demo

<https://www.braindumpscollection.com/HPE6-A07.html>

DEMO
VERSION

(LIMITED CONTENT)

Questions
& Answers

Version: 10.0

Question: 1

Which licenses are included in the built-in starter kit for ClearPass?

- A. 10 ClearPass Guest licenses, 10 ClearPass OnGuard licenses and 10 ClearPass Onboard licenses
- B. 10 ClearPass Enterprise licenses
- C. 25 ClearPass Policy Manager licenses
- D. 25 ClearPass Profiler licenses
- E. 25 ClearPass Enterprise licenses

Answer: E

Question: 2

What happens when a client successfully authenticates but does not match any Enforcement Policy rules?

- A. no role is applied to the device
- B. logon profile is applied to the device
- C. default Enforcement profile is applied
- D. guest rule is applied to the device
- E. default rule is applied to the device

Answer: C

The first time a device connects, it's allowed on in a limited state (session timeout is a low value and DHCP is allowed) because it doesn't match any Enforcement policy rules based on Endpoint Category. The default enforcement profile is used.

References:

Question: 3

When Active Directory is added as an authentication source, what should the format be for the Active Directory bin DN?

- A. admin.domain.com
- B. domain.com\admin
- C. domain.com
- D. admin@domain.com
- E. admin\domain.com

Answer: D

For Active Directory, the bind DN can also be in the administrator@domain format (for example, administrator@acme.com).

Reference http://www.arubanetworks.com/techdocs/ClearPass/Aruba_CPPMOnlineHelp/Content/CPPM_UserGuide/Auth/AuthSource_GenericLDAP.htm

Question: 4

Configuration » Authentication » Sources » Add - remotelab AD

Authentication Sources - remotelab AD

Summary General Primary **Attributes**

Specify Filter

1. At **Configuration** Attributes Browse Filter

Filter Name: Authentication

Filter Query: (&(sAMAccountName=%(Authentication:Username))(objectClass=user))

Name	Alias Name	Data type	Enabled A
1. dn	UserDN	String	-
2. department	Department	String	Role
3. title	Title	String	Attribute
2. Gi 4. company	company	String	-
3. Mi 5. memberOf	memberOf	String	✓ Role

Refer to the exhibit. A user has enabled 'department' and 'memberOf' as roles. What is the direct effect of the user's action?

- A. The user's authentication will be rejected if the user does not have an admin user group membership in AD.
- B. The user's memberOf attribute is sent back to the controller as a firewall role.
- C. The user's department and group membership will be seen in the Access tracker roles section.
- D. The user's authentication will be rejected if the user does not have a department attribute in AD.
- E. The user's department is sent back to the controller as a firewall role.

Answer: A

Question: 5

When enforcement action is used in ClearPass to bounce a client?

- A. Webpage redirect

- B. ACL
- C. VLAN attribute
- D. RADIUS VSA
- E. RADIUS CoA

Answer: E

In the Profiler tab, change the RADIUS CoA Action to "[Cisco - Bounce-Host-Port]". Make sure your switch is configured for this.

Reference <http://community.arubanetworks.com/t5/Security/MAC-Auth-Service-for-AP-s-Printers-Etc/td-p/243252>

Question: 6

Configuration>>Services>>Reorder

Reorder Services

Order	Name
1	[Policy Manager Admin Network Service]
2	pod8wired
3	pod8-mac auth
4	pod8wireless

Service Rule

((Radius:IETF:NAS-Port-Type EQUALS Ethernet (15))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8)))
 AND (Connection:Protocol EQUALS RADIUS)

Service Rule

((Radius:IETF:NAS-Port-Type BELONGS_TO Ethernet (15), Wireless-802.11 (19))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Call-Check (10))
 AND (Connection:Client-Mac-Address EQUALS %{Radius:IETF:User-Name}))
 AND (Connection:Protocol EQUALS RADIUS)

Service Rule

((Radius:IETF:NAS-Port-Type EQUALS Wireless-802.11 (19))
 AND (Radius:IETF:Service-Type BELONGS_TO Login-User (1), Framed-User (2), Authenticate-Only (8))
 AND (Radius:Aruba:Aruba-Location-Id EXISTS)
 AND (Radius:Aruba:Aruba-Essid-Name EXISTS))
 AND (Connection:Protocol EQUALS RADIUS)

Refer to the exhibit. A user connects to an Aruba Access Point wireless SSID named "secure-corporate" and performs an 802.1X authentication with ClearPass as the authentication server. Based on this service configuration, which service will be triggered?

- A. pod8-mac auth
- B. Noservice will be triggered
- C. pod8wireless
- D. [Policy Manager Admin Network Service]
- E. pod8wired

Answer: A

Thank You for trying HPE6-A07 PDF Demo

To try our HPE6-A07 practice exam software visit link below

<https://www.braindumpscollection.com/HPE6-A07.html>

Start Your HPE6-A07 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your HPE6-A07 preparation with actual exam questions.