



BrainDumps  
Collection

# Linux Foundation

KCNA Exam

Kubernetes and Cloud Native Associate

Thank you for Downloading KCNA exam PDF Demo

You can also try our KCNA practice exam software

[Download Free Demo](#)

<https://www.braindumpscollection.com/KCNA.html>

DEMO  
VERSION (LIMITED CONTENT)

Questions  
& Answers

# Version: 4.0

---

**Question: 1**

---

Which is not a service type in Kubernetes?

- A. ClusterIP
- B. NodePort
- C. Ingress
- D. LoadBalancer
- E. ExternalName

---

**Answer: C**

---

Explanation:

<https://kubernetes.io/docs/tutorials/kubernetes-basics/expose/expose-intro/>

without a Service. Services allow your applications to receive traffic. Services can be exposed in different ways by specifying a type in the ServiceSpec:

- *ClusterIP* (default) - Exposes the Service on an internal IP in the cluster. This type makes the Service only reachable from within the cluster.
- *NodePort* - Exposes the Service on the same port of each selected Node in the cluster using NAT. Makes a Service accessible from outside the cluster using `<NodeIP>:<NodePort>` . Superset of ClusterIP.
- *LoadBalancer* - Creates an external load balancer in the current cloud (if supported) and assigns a fixed, external IP to the Service. Superset of NodePort.
- *ExternalName* - Maps the Service to the contents of the `externalName` field (e.g. `foo.bar.example.com` ), by returning a `CNAME` record with its value. No proxying of any kind is set up. This type requires v1.7 or higher of `kube-dns` , or CoreDNS version 0.0.8 or higher.

More information about the different types of Services can be found in the [Using Source IP](#) tutorial. Also see [Connecting Applications with Services](#).

---

## Question: 2

---

What standard does kubelet use to communicate with the container runtime?

- A. Service Mesh Interface (SMI)
- B. CRI-O
- C. ContainerD

D. Container Runtime Interface (CRI)

---

**Answer: D**

---

Explanation:

kubelet can communicate with any runtime that supports the CRI standard.

---

**Question: 3**

---

What kind of limitation cgroups allows?

- A. Prioritization
- B. Resource limiting
- C. Accounting
- D. None of the options
- E. Control
- F. Server cpu and memory

---

**Answer: A, B, C, E**

---

Explanation:

---

**Question: 4**

---

What is the most common way to scale the application in the cloud environment?

- A. Parallel Scaling
- B. Horizontal Scaling
- C. Vertical Scaling

---

**Answer: B**

---

Explanation:

<https://kubernetes.io/docs/tasks/run-application/horizontal-pod-autoscale/>

---

**Question: 5**

---

Which of the following is an advantage a cloud-native microservices application has over monolithic applications?

- A. Cloud-native microservices applications tend to be faster and more responsive than monolithic applications.
- B. Cloud-native microservice applications tend to be easier to troubleshoot.
- C. Cloud-native microservice applications tend to be easier to scale and perform updates on.

---

**Answer: C**

---

Explanation:

Cloud-native applications tend to be microservice base, they have individual services that can be independently scaled, updated and rolled back. This makes scaling and update operations simpler and less risky.

**Thank You for trying KCNA PDF Demo**

To try our KCNA practice exam software visit link below

<https://www.braindumpscollection.com/KCNA.html>

**Start Your KCNA Preparation**

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your KCNA preparation with actual exam questions.