



BrainDumps
Collection

Network Appliance

NS0-511 Exam

Network Appliance NetApp Certified Implementation Engineer - Data
Protection Exam

Thank you for Downloading NS0-511 exam PDF Demo

You can also try our NS0-511 practice exam software

Download Free Demo

<https://www.braindumpscollection.com/NS0-511.html>

DEMO
VERSION

(LIMITED CONTENT)

Questions
& Answers

Question: 1

You are creating a SnapMirror relationship and custom SnapMirror policies are not defined. Which default policy will be applied in this scenario?

- A. MirrorAndVault
- B. Default
- C. SMDefault
- D. DPDefault

Answer: D

Explanation:

(<https://library.netapp.com/ecmdocs/ECMP1196817/html/snapmirror/create.html>)

Question: 2

You must determine if there have been any backup problems overnight. Which two reports in OnCommand Unified Manager 6.2 would provide you with the required information? (Choose two.)

- A. Unresolved Incidents and Risks area
- B. OnCommand Unified Manager Dashboard
- C. OnCommand Cluster Events Details
- D. OnCommand Job Events Details

Answer: B, D

Explanation:

(https://library.netapp.com/ecm/ecm_download_file/ECMP1653271)

Question: 3

You have created a new CIFS share but it is inaccessible. After verifying the export policy, network connectivity, junction path, and permissions are all correct, you realize there is root volume load-sharing mirror in place.

What should you do next to make the share accessible?

- A. Update load-sharing mirror.
- B. Update the root volume policy.
- C. Re-create the CIFS share.
- D. Modify the CIFS share permissions.

Answer: C

Explanation:

(<https://library.netapp.com/ecmdocs/ECMP1368017/html/GUID-7FFCC041-827B-4567-8C5C-8B124B75326C.html>)

Question: 4

You want to provide your team with a SnapProtect report that shows how many backups succeeded, were delayed, and failed over the last 30 days. You also want detailed information about the jobs, agents, and clients.

Which CommCell report provides the necessary information?

- A. Backup Job Summary
- B. Activity
- C. Health
- D. SLA

Answer: A

Explanation:

(http://documentation.commvault.com/commvault/v10/article?p=features/reports/types/js_backup_online_help.htm)

Question: 5

You are mirroring the root volume of a storage virtual machine (SVM) according to NetApp best practices.

In this scenario, which two statements are true? (Choose two.)

- A. A mirror is only needed outside of the local HA pair.
- B. A mirror is needed on every node in the cluster.
- C. The mirrors are only needed on the nodes that do not host the source volume.
- D. The relationship should be set to LS.

Answer: B, D

Explanation:

(https://library.netapp.com/ecm/ecm_download_file/ECMP1653502)

Question: 6

A customer wants to maintain a single copy for both disaster recovery and backup on a secondary system.

Which SnapMirror policy and relationship type should be used?

- A. MirrorAndVault/Relationship Type DP
- B. MirrorAndVault/Relationship Type XDP

- C. MirrorAndVault/Relationship Type TDP
- D. MirrorAndVault/Relationship Type LS

Answer: B

Explanation:

(<https://library.netapp.com/ecmdocs/ECMP1610202/html/snapmirror/policy/create.html>)

Question: 7

You received an alert from OnCommand Unified Manager (OCUM) that a NetApp FlexVol is almost out of space.

Which three actions are available to perform from the OCUM events detail Web page? (Choose three.)

- A. Add a note to the event.
- B. Create a job to move the FlexVol.
- C. Acknowledge the event.
- D. Increase the capacity of the FlexVol.
- E. Mark the event as “resolved”.

Answer: C, D, E

Explanation:

(https://library.netapp.com/ecm/ecm_download_file/ECMP1141205)

Question: 8

You are installing a MetroCluster for clustered Data ONTAP consisting of FAS8080s.

How are the high-availability interconnects cabled?

- A. High-availability interconnects are only needed for the remote connections between the nodes.
- B. High-availability interconnects are cabled both locally and remotely between the nodes.
- C. High-availability interconnects between the nodes are not needed.
- D. Each high-availability pair controller is cabled to its local partner.

Answer: B

Explanation:

(https://library.netapp.com/ecm/ecm_download_file/ECMP1610209)

Thank You for trying NS0-511 PDF Demo

To try our NS0-511 practice exam software visit link below

<https://www.braindumpscollection.com/NS0-511.html>

Start Your NS0-511 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your NS0-511 preparation with actual exam questions.