



**BrainDumps
Collection**

EMC

E20-891 Exam

Backup Recovery Solutions Expert Exam for Technology Architects

Thank you for Downloading E20-891 exam PDF Demo

You can also try our E20-891 practice exam software

Download Free Demo

<https://www.braindumpscollection.com/E20-891.html>

**DEMO
VERSION**

(LIMITED CONTENT)

**Questions
& Answers**

Question: 1

An EMC NetWorker customer wants to add their new Microsoft SharePoint distributed farm to their backup environment. The farm contains three servers. One server contains the web front-end and the other two servers each contain two SQL databases. How is the number of the client resources determined?

- A. One resource for each server in the farm
- B. One resource for each SQL database in the farm and one for the web front-end server
- C. Only one resource for the entire farm
- D. One resource for each SQL database in the farm

Answer: A

Question: 2

A customer is planning to use EMC NetWorker integrated with Data Domain to backup their enterprise. Data Domain will be used to replicate backups to an offsite location to satisfy regulatory requirements. The customer is concerned about the difficulty in managing their backups and backup clones with two interfaces. What could be done to simplify the management of backups and clones?

- A. Configure DD Boost with NetWorker and use clone-controlled replication.
- B. Configure pre and post scripts to handle the cloning.
- C. Create one backup job for cloning and one additional job for local copies.
- D. Create scripts to run through the CLI to handle daily cloning.

Answer: A

Question: 3

While installing an EMC Avamar deduplication node in a NetWorker backup solution, the Microsoft Windows client backup jobs fail to run. Which process should be running on the client during the backup?

- A. nsrvtar
- B. nsravamar
- C. nsrim
- D. nsrndmpsv

Answer: A

Question: 4

A customer recently integrated EMC Avamar into their existing NetWorker datazone. After creating a

deduplication client and defining the NetWorker deduplication node, the backup is started. However, the backup failed. What must be done to perform a successful backup?

- A. Create a local AFTD on the storage node to store deduplication metadata
- B. Create an AFTD on the Avamar server to store deduplication metadata
- C. Create an AFTD to store the deduplication indexes
- D. Create an AFTD to store the additional bootstrap information

Answer: A

Question: 5

You are planning an MS SQL backup solution for a customer using EMC NetWorker and NMM without a proxy client. Which user privilege must be configured on NetWorker?

- A. Add the NMM client to the NetWorker Administrator user group
- B. Add the NetWorker Administrator to the NMM remote user setting
- C. Add the NMM client to the MS Windows administrators user group
- D. Add the NMM client to the Operators user group

Answer: A

Question: 6

An EMC customer is currently backing up their Microsoft Exchange database to an EMC Avamar server. The backups are setup to full on Friday, skip on Sunday, and only transaction logs backed up the rest of the week. The customer would like to integrate Data Domain to Avamar and run the database backups to the Data Domain system. If a Data Domain system is deployed on Sunday, which type of backup runs on the following Monday?

- A. Full database backup
- B. Transaction logs backup
- C. Backups will be skipped
- D. Level 1 backup of the database

Answer: A

Question: 7

A customer has implemented EMC Data Domain Boost for Oracle RMAN software in their environment and are successfully backing up several Oracle servers. Backups are directed to a local Data Domain system and a second Data Domain system was configured at their disaster recovery site as a target for replication. What needs to be done to create copies of the backup data on the remote system that are tracked and recoverable by RMAN?

- A. Modify the RMAN script to include backup copies

- B. Configure directory replication between the Data Domain systems
- C. Configure Mtree replication between the Data Domain systems
- D. Create a second RMAN script for the second Data Domain system

Answer: A

Question: 8

A customer has an EMC Data Domain appliance that has reached 90% of maximum capacity. The customer does not want to purchase any additional storage. What will increase the average available capacity of the Data Domain appliance?

- A. Decrease the backup retention period
- B. Decrease the cleaning frequency
- C. Increase the snapshot expiration period
- D. Increase the number of streams

Answer: B

Question: 9

An EMC NetWorker customer has just started running backups of their new Microsoft SharePoint distributed farm. They are concerned that their web applications are not being backed up. What can you tell the customer about backing up web applications?

- A. Web applications are backed up with the corresponding content database
- B. Add the web application name to the save set field for the client hosting the content database
- C. Create a separate client resource for each web application
- D. Web applications must be backed up with a file system backup method

Answer: A

Question: 10

An existing EMC Data Domain customer wants to know the way to integrate Data Domain with RMAN to their tape library. How would this integration take place?

- A. Use RMAN and Media Manager Layer to backup the application
- B. Use RMAN with NFS to write to tape
- C. Use RMAN with DD Boost to move data to the tape library
- D. Use RMAN with dNFS to write to the tape library

Answer: A

Thank You for trying E20-891 PDF Demo

To try our E20-891 practice exam software visit link below

<https://www.braindumpscollection.com/E20-891.html>

Start Your E20-891 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your E20-891 preparation with actual exam questions.