



BrainDumps  
Collection

# Arcitura Education

## S90.19 Exam

Arcitura Education Advanced SOA Security Exam

Thank you for Downloading S90.19 exam PDF Demo

You can also try our S90.19 practice exam software

**Download Free Demo**

<https://www.braindumpscollection.com/S90.19.html>

DEMO  
VERSION

(LIMITED CONTENT)

Questions  
& Answers

## Version: 5.0

---

**Question: 1**

---

Which of the following types of attack always affect the availability of a service?

- A. Exception generation attack
- B. SQL injection attack
- C. XPath injection attack
- D. None of the above

---

**Answer: D**

---

---

**Question: 2**

---

The use of XML schemas for data validation helps avoid several types of data-centric threats.

- A. True
- B. False

---

**Answer: A**

---

---

**Question: 3**

---

The use of session keys and symmetric cryptography results in:

- A. Increased performance degradation
- B. Increased reliability degradation
- C. Reduced message sizes
- D. None of the above

---

**Answer: D**

---

---

**Question: 4**

---

An alternative to using a \_\_\_\_\_ is to use a \_\_\_\_\_.

- A. Public key, private key
- B. Digital signature, symmetric key
- C. Public key, key agreement security session

D. Digital signature, asymmetric key

---

**Answer: C**

---

---

**Question: 5**

---

Service A's logic has been implemented using managed code. An attacker sends an XML bomb to Service A. As a result, Service A's memory consumption started increasing at an alarming rate and then decreased back to normal. The service was not affected by this attack and quickly recovered. Which of the following attacks were potentially avoided?

- A. XML parser attack
- B. Buffer overrun attack
- C. Insufficient authorization attack
- D. Denial of service

---

**Answer: A, D**

---

---

**Question: 6**

---

When designing XML schemas to avoid data-centric threats, which of the following are valid considerations?

- A. The maxOccurs attribute needs to be specified using a restrictive value.
- B. The <xsd:any> element needs to be avoided.
- C. The <xsd:restriction> element can be used to create more restrictive user-defined simple types.
- D. All of the above.

---

**Answer: D, B**

---

---

**Question: 7**

---

\_\_\_\_\_ is an industry standard that describes mechanisms for issuing, validating, renewing and cancelling security tokens.

- A. WS-Security
- B. WS-Trust
- C. WS-SecureConversation
- D. WS-SecurityPolicy

---

**Answer: B**

---

---

**Question: 8**

---

Security policies defined using WS-SecurityPolicy can be used to convey which of the following requirements to a service consumer?

- A. Whether transport-layer or message-layer security needs to be used
- B. The encryption type that needs to be used for transport-layer security
- C. The algorithms that need to be used for cryptographic operations
- D. The type of security token that must be used

---

**Answer: A, C, D**

---

---

**Question: 9**

---

Service A needs to be designed so that it supports message integrity and so that only part of the messages exchanged by the service are encrypted. You are asked to create the security policy for this service. What type of policy assertions should you use?

- A. Token assertions
- B. Protection assertions
- C. Security binding assertions
- D. Service A's security requirements cannot be expressed in a policy

---

**Answer: B**

---

**Thank You for trying S90.19 PDF Demo**

To try our S90.19 practice exam software visit link below

<https://www.braindumpscollection.com/S90.19.html>

## Start Your S90.19 Preparation

Use Coupon "20OFF" for extra 20% discount on the purchase of Practice Test Software. Test your S90.19 preparation with actual exam questions.